




18 t

LOAD CHART


载荷曲线 / Diagrama de cargas / Diagramme de charges / Диаграмма распределения нагрузки

RCA

R	9 t	10	15	20	25	30	35	40	45	50	55	60	↔(m) ↓(kg)
60	36,0						9000	7400	5990	4960	4160	3500	
55	37,0						9000	7910	6510	5460	4600		
50	38,0						9000	8310	6910	5800			
45	39,5						9000	8830	7300				
40	40,0							9000					
35	35,0						9000						
30	30,0					9000							









R	18t 	9t 	10	15	20	25	30	35	40	45	50	55	60	↔(m) ↓(kg)
60	18,0	28,7		18000	15260	10970	8480	6850	5700	4850	4190	3650	3200	
55	18,5	31,2		18000	16170	12010	9490	7780	6560	5630	4900	4300		
50	19,1	33,6		18000	16990	12900	10330	8560	7180	6290	5500			
45	20,0	36,4			18000	13890	11250	9410	8050	7000				
40	21,1				18000	15000	12310	10420	9000					
35	22,4				18000	16020	13200	11200						
30	24,0				18000	17200	14000							



Valid data up to 80 m HUH. Additional heights on request / 此数据仅适用于吊钩高度80m 以下，其他高度请咨询。 / Datos válidos hasta 80 m de ABG. Para alturas mayores consultar / Données valables jusqu'à 80 m HSC. Pour des autres hauteurs, merci de nous consulter / Допустимые данные до 80 м ВПК. Для более высоких высотконсультируйтесь

MECHANISMS

机构 / Mecanismos / Mécanismes / Механизмы



Hoist / 起升机构 / Elevación / Levage / Тип механизма (подъем)	Trolley / 变幅机构 / Carro / Chariot / Грузовая тележка	Slewing / 回转机构 / Giro / Rotation / Поворот	Travel / 行走机构 / Traslación / Translation / Verfahrbewegung / Traslazione / Ход	Operating voltage / 工作电压 / Tensión de alimentación / Tension de service / Напряжение источника питания	Required power / 需要功率 / Potencia requerida / Puissance requise / требуемая мощность
HFU2-65-45	LFU2-65-40	(3x) SFU-7.5	(2x) RT-7.5	400 V	130 kVA
HFU4-80-45			(4x) RT-7.5	3 ph 50 Hz	145 kVA




Optional / 选项
Opcional / En
option /
Опционально

*

TOWER HEIGHT

塔机高度 / Alturas de torre / Hauteurs de tour / Высота башни

Ø 2,5 m




n°	Ref.	Ø	h
7	DJ33	2,5	5,5
8	TDJ34	2,5	5,5
1x DJ33 = 1x DJ33M			

BRACED CRANE

外附着塔机 / Grúa arriostrada / Grue à entretoisement / Нарастиваемый кран

Ø 2,5 m




RCA (H) C/25	5XA43
F2	60
F4-F2	60
A max	23,9
A min	23,9
B max	22,0
B min	22,0
C max	34,8
H max	58,7

RCA (H) C/25	7XA63
F2	60 / 55
F4-F2	60 / 55 / 50
A max	35,2
A min	24,2
B max	22,0
B min	22,0
C max	34,8
H max	70,0


RCA (H) C/25	ES43
F2	60 / 55
F4-F2	60 / 55 / 50
A max	33,1
A min	22,1
B max	22,0
B min	22,0
C max	34,8
H max	67,9

Other wind zones or additional hook heights on request / 其他风区或另外的吊钩高度请咨询 / Otras zonas de viento o alturas superiores consultar / Autres zones de vent ou des hauteurs supplémentaires sur demande / При других ветренных зонах о при большой высоте проконсультируйтесь с нами



RCA (H) C/25	F2 (R)(m)	F4-F2 (R)(m)	Hs < 350 m	
			A max (m)	A min (m)
71,6 (7x DJ33 + TDJ34 + 4x DJ34A + CLDJ34A-24)	30	30	24,6	15,0
66,1 (6x DJ33 + TDJ34 + 4x DJ34A + CLDJ34A-24)	35 40	35 40	24,6	15,0
60,6 (5x DJ33 + TDJ34 + 4x DJ34A + CLDJ34A-24)	45 50	45 50	24,6	15,0
55,1 (4x DJ33 + TDJ34 + 4x DJ34A + CLDJ34A-24)	55 60	55 60	21,9	14,0

n°	Ref.	Ø (m)	h
	DJ33	2,5	5,5
	TDJ34	2,5	5,5
	DJ34A	2,5	5,5
	CLDJ34A-24	2,5	3,8
1x DJ33 = 1x DJ33M			



RCA (H) C/25	F2 (R)(m)	F4-F2 (R)(m)	Hs < 350 m	
			A max (m)	A min (m)
71,6 (6x DJ33 + TDJ34 + TDJ36B + 4x DJ36A + CLDJ36A-28)	30	30	24,6	11,0
66,1 (5x DJ33 + TDJ34 + TDJ36B + 4x DJ36A + CLDJ36A-28)	35 40	35 40	24,6	11,0
60,6 (4x DJ33 + TDJ34 + TDJ36B + 4x DJ36A + CLDJ36A-28)	45 50	45 50	24,6	10,0
55,1 (3x DJ33 + TDJ34 + TDJ36B + 4x DJ36A + CLDJ36A-28)	55 60	55 60	21,9	10,0

n°	Ref.	Ø (m)	h
	DJ33	2,5	5,5
	TDJ34	2,5	5,5
	TDJ36B	2,5	5,5
	DJ36A	2,5	5,5
	CLDJ36A-28	2,5	3,8
1x DJ33 = 1x DJ33M			

Other wind zones or additional hook heights on request / 其他风区或另外的吊钩高度请咨询 / Otras zonas de viento o alturas superiores consultar / Autres zones de vent ou des hauteurs supplémentaires sur demande / При других ветренных зонах о при большой высоте проконсультируйтесь с нами